

TCB

GRANT OF EQUIPMENT
AUTHORIZATION

TCB

Certification

Issued Under the Authority of the
Federal Communications Commission

By:

MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566

Date of Grant: 06/14/2023

Application Dated: 06/14/2023

Oaxis Asia Pte Ltd
31 Woodlands Close #01-22
Singapore, 737855
Singapore

Attention: Ying Keong Chaw , Mr

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's
Rules and Regulations listed below.

FCC IDENTIFIER: 2ALET-KW1401

Name of Grantee: Oaxis Asia Pte Ltd

Equipment Class: PCS Licensed Transmitter worn on body

Notes: myFirst Fone S3

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	24E	1852.4 - 1907.6	0.087	0.0101 PM	4M17F9W
	22H	826.4 - 846.6	0.078	0.0217 PM	4M16F9W
	24E	1860.0 - 1900.0	0.035	0.00722 PM	18M0G7D
	24E	1860.0 - 1900.0	0.026	0.0067 PM	18M1W7D
	24E	1857.5 - 1902.5	0.036	0.012581 PM	13M5W7D
	27	1720.0 - 1745.0	0.072	0.014854 PM	18M0G7D
	27	1710.7 - 1754.3	0.075	0.013654 PM	1M10G7D
	27	1720.0 - 1745.0	0.061	0.008571 PM	18M0W7D
	27	1715.0 - 1750.0	0.073	0.016535 PM	13M5W7D
	22H	829.0 - 844.0	0.016	0.012538 PM	9M01G7D
	22H	829.0 - 844.0	0.016	0.0036833 PM	8M99W7D
	27	704.0 - 711.0	0.019	0.002563 PM	9M02G7D
	27	704.0 - 711.0	0.018	0.002578 PM	9M01W7D
	27	699.7 - 715.3	0.02	0.006578 PM	1M10W7D
	27	709.0 - 711.0	0.019	0.006775 PM	9M02G7D
	27	709.0 - 711.0	0.018	0.006899 PM	9M01W7D
	27	2565.0 - 2645.0	0.09	0.017892 PM	17M9G7D
	27	2560.0 - 2650.0	0.093	0.018521 PM	9M03G7D
	27	2565.0 - 2645.0	0.082	0.016584 PM	18M0W7D
	27	2562.5 - 2647.5	0.095	0.035584 PM	13M4W7D

Power output listed is ERP for frequencies below 1GHz and EIRP for frequencies above 1GHz. FCC RF Exposure Information and Statement that the SAR limit of USA (FCC) for face Limit is 1.6 W/kg and Wristbands is 4.0W/kg. The evaluation distance for product specific (next-to-mouth) and extremity (wrist) is 10 mm and 0 mm respectively. The highest reported SAR for product specific (next-to-mouth), simultaneous transmission, and extremity (wrist) use conditions is 0.73 W/kg, 0.82 W/kg, and 0.93 W/kg, respectively.

This device also contains functions that are not operational in U.S. Territories. This filing is only applicable for US operations.